

Frequency, Wavelength and Period



Preliminaries and Objectives


Preliminaries

- Graph $y = \sin x$ and $y = \cos x$
- Amplitude
- Transformations of graphs (stretching vertically and horizontally).

Objectives

- Given an equation, find the period (wavelength) and frequency.
- Given a graph, find the period (wavelength) and frequency.
- Graph waves of the form $y = \pm A \sin(Bx)$ and $y = \pm A \cos(Bx)$.

Amplitude = 5




B changes the width of the graph

$$y = \sin(Bx)$$


Wavelength and Period

$$y = \sin x$$



Wavelength and Period


$$y = \sin(2x)$$



$$\text{Period} = \frac{2\pi}{2} = \pi$$

Wavelength and Period


$$y = \sin(2x)$$



$$\text{Frequency} = \frac{2}{2\pi} = \frac{1}{\pi}$$

Period and Frequency

$$y = \sin 4x$$



$$\text{Period} = \frac{2\pi}{4} = \frac{\pi}{2}$$

$$\text{Frequency} = \frac{4}{2\pi} = \frac{2}{\pi}$$


General Formulas

$$\text{Period} = \frac{2\pi}{B}$$

$$\text{Frequency} = \frac{B}{2\pi}$$

Graphing a Wave Adjusted for Period

$$y = \sin(5x)$$




$$\text{Period} = \frac{2\pi}{5}$$

$$Q = \frac{2\pi}{20} = \frac{\pi}{10}$$

Graphing a Wave Adjusted for Period and Amplitude


$$y = -2 \cos 3x$$



$$\text{Period} = \frac{2\pi}{3}$$

$$Q = \frac{2\pi}{12} = \frac{\pi}{6}$$


Finding the Equation of a Wave from its Graph



$$\text{Amplitude} = A = 3$$

$$\text{Period} = \frac{2\pi}{B} = 4\pi \Rightarrow B = \frac{2\pi}{4\pi} = \frac{1}{2}$$

Finding the Equation of a Wave from its Graph



$$\text{Amplitude} = A = 2$$

$$\text{Period} = \frac{2\pi}{B} = \frac{\pi}{3} \Rightarrow B = 2\pi \cdot \frac{3}{\pi} = 6$$

Recap

- Period (wavelength) is the x -distance between consecutive peaks of the wave graph.

$$\text{Period} = \frac{2\pi}{B}; \quad \text{Frequency} = \frac{B}{2\pi}$$

- Use amplitude to mark y -axis, use period and quarter marking to mark x -axis.